

Moving coil DC meter									
Product Code	PQ2C-	X	XX	X	X	X	X	XX	XXXX
Input type for PQ2C	Current Meter	I							
	Voltage Meter	V							
Measuring range for PQ2C	50uA		1						
	100uA		2						
	500uA		6						
	1mA		7						
	100mA		18						
	800mA		25						
	4-20mA		26						
	1A		27						
	5A		30						
	10A		31						
	30A		34						
	50A		36						
	50mV		2B						
	100mV		2E						
	300mV		2G						
	1V		2H						
	20V		2R						
	100V		3A						
	200V		3D						
	300V		3J						
400V		3K							
400V		3K							
500V		3L							
600V		3M							
Zero position for PQ2C	Left Zero			L					
	Right Zero			R					
	Center Zero			C					
	Suppressed Zero			S					
	Shifted zero			H					
Accuracy Class for PQ2C	Class - 1.5					1			
	Class - 1.0					2			
	Class 2.5					4			
Type of Dial for PQ2C	Standard Aluminum						A		
	Aluminum with Colour mark						R		
	Aluminium with colour bands						C		
	Without Dial						X		
	Blank Scale						B		
Background for PQ2C	Black Background							B	
	White background							W	
	NA							X	
Customer Code for PQ2C	Blank							0	
	SIFAM TINSLEY							ST	0000

Moving coil DC meter									
Product Code	PQ3C-	X	XX	X	X	X	X	XX	XXXX
Input type for PQ3C	Current Meter	I							
	Voltage Meter	V							
Measuring range for PQ3C	50uA		1						
	100uA		2						
	500uA		6						
	1mA		7						
	100mA		18						
	800mA		25						
	4-20mA		26						
	1A		27						
	5A		30						
	10A		31						
	30A		34						
	50A		36						
	50mV		2B						
	100mV		2E						
	300mV		2G						
	1V		2H						
	20V		2R						
	100V		3A						
	200V		3D						
	300V		3J						
	400V		3K						
	400V		3K						
	500V		3L						
	600V		3M						
Zero position for PQ3C	Left Zero			L					
	Right Zero			R					
	Center Zero			C					
	Suppressed Zero			S					
	Shifted zero			H					
Accuracy Class for PQ3C	Class - 1.5					1			
	Class - 1.0					2			
	Class 2.5					4			
Type of Dial for PQ3C	Standard Aluminium						A		
	Aluminium with Colour mark						R		
	Aluminium with colour bands						C		
	Without Dial						X		
	Blank Scale						B		
Background for PQ3C	Black Background							B	
	White background							W	
	NA							X	
Customer Code for PQ3C	Blank								0
	SIFAM TINSLEY								ST
									0000

Moving coil DC meter									
Product Code	PQ4C-	X	XX	X	X	X	X	XX	XXXX
Input type for PQ4C	Current Meter	I							
	Voltage Meter	V							
Measuring range for PQ4C	50uA		1						
	100uA		2						
	500uA		6						
	1mA		7						
	100mA		18						
	800mA		25						
	4-20mA		26						
	1A		27						
	5A		30						
	10A		31						
	30A		34						
	50A		36						
	50mV		2B						
	100mV		2E						
	300mV		2G						
	1V		2H						
	20V		2R						
	100V		3A						
	200V		3D						
	300V		3J						
	400V		3K						
	400V		3K						
	500V		3L						
	600V		3M						
Zero position for PQ4C	Left Zero			L					
	Right Zero			R					
	Center Zero			C					
	Suppressed Zero			S					
	Shifted zero			H					
Accuracy Class for PQ4C	Class - 1.5					1			
	Class - 1.0					2			
	Class 2.5					4			
Type of Dial for PQ4C	Standard Aluminium						A		
	Aluminium with Colour mark						R		
	Aluminium with colour bands						C		
	Without Dial						X		
	Blank Scale						B		
Background for PQ4C	Black Background							B	
	White background							W	
	NA							X	
Customer Code for PQ4C	Blank								0
	SIFAM TINSLEY								ST
									0000