

722 Series

Electromechanical Hour Meter



Available with stainless steel bezel

The Model 722 provides an AC Hour Meter with an operating range of 90-264VAC 50/60 Hz. You no longer require two separate meters, one for 115VAC and one for 230VAC. Models are available in the standard industry housings, 2-Hole Rectangular, Flush-Rectangular, Flush-Round and 3-Hole Round. Its quartz time base insures accurate long-term time keeping. The totally sealed case protects against the environment and provides years of reliable service. All models are NEMA 4X,12 rated when mounted with optional gasket.

Key Features

- Operating voltage 90-264VAC 50/60Hz
- Totally Sealed
- UL/cUL Recognized, CE & RoHS Compliant
- 6 Figure, 99999.9
- Quartz accuracy
- Options include:
 - Wire leads
 - Gasket kit (for NEMA 4X, 12 rating)
 - Custom lens
 - Terminals up, down, straight

Applications


- Medical Equipment
- Control Panels
- Office Equipment
- Test Equipment
- Generators

Specification

Figures	6 - digits, 0.14" [3.6mm] 99999.9 Hours and indicator - white on black Decimal - black on white
Reset	Non-reset
Voltage	90-264VAC
Frequency	50/60Hz
Power	1 watt max.
Mount	Clip or mounting holes
Terminations	1/4" [6.3mm] spade terminals
Weight	~2 oz [57 g]
Accuracy	± 0.02% over entire range
Case Material	Black polymer
Lens Material	Polymer
Approvals	UL/cUL Recognized, CE & RoHS Compliant, SAE & NEMA 4X, 12 Compliant
Environmental	Totally Sealed
Front Panel	NEMA 4X, 12 rated with optional gasket
Temp. Range	-40°F to +185°F [-40°C to + 85°C]
Humidity	95% (SAE J1378)
Vibration	10-80 Hz. 20g max. (SAE J1378)
Shock	55g @ 9 - 13msec (SAE J1378)


Dimensions

2-Hole




Panel Opening: 1.45" X 0.95" [36.8 X 24.1]


Flush-Rectangular




Panel Opening: 1.45" X 0.95" [36.8 X 24.1]
Panel Thickness: 0.02 to 0.025 to 0.03 to 0.035 to 0.04 to 0.045 to 0.05 to 0.055 to 0.06 to 0.065 to 0.07 to 0.075 to 0.08 to 0.085 to 0.09 to 0.095 to 0.10 to 0.105 to 0.11 to 0.115 to 0.12 to 0.125 to 0.13 to 0.135 to 0.14 to 0.145 to 0.15 to 0.155 to 0.16 to 0.165 to 0.17 to 0.175 to 0.18 to 0.185 to 0.19 to 0.195 to 0.20 to 0.205 to 0.21 to 0.215 to 0.22 to 0.225 to 0.23 to 0.235 to 0.24 to 0.245 to 0.25 to 0.255 to 0.26 to 0.265 to 0.27 to 0.275 to 0.28 to 0.285 to 0.29 to 0.295 to 0.30 to 0.305 to 0.31 to 0.315 to 0.32 to 0.325 to 0.33 to 0.335 to 0.34 to 0.345 to 0.35 to 0.355 to 0.36 to 0.365 to 0.37 to 0.375 to 0.38 to 0.385 to 0.39 to 0.395 to 0.40 to 0.405 to 0.41 to 0.415 to 0.42 to 0.425 to 0.43 to 0.435 to 0.44 to 0.445 to 0.45 to 0.455 to 0.46 to 0.465 to 0.47 to 0.475 to 0.48 to 0.485 to 0.49 to 0.495 to 0.50 to 0.505 to 0.51 to 0.515 to 0.52 to 0.525 to 0.53 to 0.535 to 0.54 to 0.545 to 0.55 to 0.555 to 0.56 to 0.565 to 0.57 to 0.575 to 0.58 to 0.585 to 0.59 to 0.595 to 0.60 to 0.605 to 0.61 to 0.615 to 0.62 to 0.625 to 0.63 to 0.635 to 0.64 to 0.645 to 0.65 to 0.655 to 0.66 to 0.665 to 0.67 to 0.675 to 0.68 to 0.685 to 0.69 to 0.695 to 0.70 to 0.705 to 0.71 to 0.715 to 0.72 to 0.725 to 0.73 to 0.735 to 0.74 to 0.745 to 0.75 to 0.755 to 0.76 to 0.765 to 0.77 to 0.775 to 0.78 to 0.785 to 0.79 to 0.795 to 0.80 to 0.805 to 0.81 to 0.815 to 0.82 to 0.825 to 0.83 to 0.835 to 0.84 to 0.845 to 0.85 to 0.855 to 0.86 to 0.865 to 0.87 to 0.875 to 0.88 to 0.885 to 0.89 to 0.895 to 0.90 to 0.905 to 0.91 to 0.915 to 0.92 to 0.925 to 0.93 to 0.935 to 0.94 to 0.945 to 0.95 to 0.955 to 0.96 to 0.965 to 0.97 to 0.975 to 0.98 to 0.985 to 0.99 to 1.00 to 1.005 to 1.01 to 1.015 to 1.02 to 1.025 to 1.03 to 1.035 to 1.04 to 1.045 to 1.05 to 1.055 to 1.06 to 1.065 to 1.07 to 1.075 to 1.08 to 1.085 to 1.09 to 1.095 to 1.10 to 1.105 to 1.11 to 1.115 to 1.12 to 1.125 to 1.13 to 1.135 to 1.14 to 1.145 to 1.15 to 1.155 to 1.16 to 1.165 to 1.17 to 1.175 to 1.18 to 1.185 to 1.19 to 1.195 to 1.20 to 1.205 to 1.21 to 1.215 to 1.22 to 1.225 to 1.23 to 1.235 to 1.24 to 1.245 to 1.25 to 1.255 to 1.26 to 1.265 to 1.27 to 1.275 to 1.28 to 1.285 to 1.29 to 1.295 to 1.30 to 1.305 to 1.31 to 1.315 to 1.32 to 1.325 to 1.33 to 1.335 to 1.34 to 1.345 to 1.35 to 1.355 to 1.36 to 1.365 to 1.37 to 1.375 to 1.38 to 1.385 to 1.39 to 1.395 to 1.40 to 1.405 to 1.41 to 1.415 to 1.42 to 1.425 to 1.43 to 1.435 to 1.44 to 1.445 to 1.45 to 1.455 to 1.46 to 1.465 to 1.47 to 1.475 to 1.48 to 1.485 to 1.49 to 1.495 to 1.50 to 1.505 to 1.51 to 1.515 to 1.52 to 1.525 to 1.53 to 1.535 to 1.54 to 1.545 to 1.55 to 1.555 to 1.56 to 1.565 to 1.57 to 1.575 to 1.58 to 1.585 to 1.59 to 1.595 to 1.60 to 1.605 to 1.61 to 1.615 to 1.62 to 1.625 to 1.63 to 1.635 to 1.64 to 1.645 to 1.65 to 1.655 to 1.66 to 1.665 to 1.67 to 1.675 to 1.68 to 1.685 to 1.69 to 1.695 to 1.70 to 1.705 to 1.71 to 1.715 to 1.72 to 1.725 to 1.73 to 1.735 to 1.74 to 1.745 to 1.75 to 1.755 to 1.76 to 1.765 to 1.77 to 1.775 to 1.78 to 1.785 to 1.79 to 1.795 to 1.80 to 1.805 to 1.81 to 1.815 to 1.82 to 1.825 to 1.83 to 1.835 to 1.84 to 1.845 to 1.85 to 1.855 to 1.86 to 1.865 to 1.87 to 1.875 to 1.88 to 1.885 to 1.89 to 1.895 to 1.90 to 1.905 to 1.91 to 1.915 to 1.92 to 1.925 to 1.93 to 1.935 to 1.94 to 1.945 to 1.95 to 1.955 to 1.96 to 1.965 to 1.97 to 1.975 to 1.98 to 1.985 to 1.99 to 2.00 to 2.005 to 2.01 to 2.015 to 2.02 to 2.025 to 2.03 to 2.035 to 2.04 to 2.045 to 2.05 to 2.055 to 2.06 to 2.065 to 2.07 to 2.075 to 2.08 to 2.085 to 2.09 to 2.095 to 2.10 to 2.105 to 2.11 to 2.115 to 2.12 to 2.125 to 2.13 to 2.135 to 2.14 to 2.145 to 2.15 to 2.155 to 2.16 to 2.165 to 2.17 to 2.175 to 2.18 to 2.185 to 2.19 to 2.195 to 2.20 to 2.205 to 2.21 to 2.215 to 2.22 to 2.225 to 2.23 to 2.235 to 2.24 to 2.245 to 2.25 to 2.255 to 2.26 to 2.265 to 2.27 to 2.275 to 2.28 to 2.285 to 2.29 to 2.295 to 2.30 to 2.305 to 2.31 to 2.315 to 2.32 to 2.325 to 2.33 to 2.335 to 2.34 to 2.345 to 2.35 to 2.355 to 2.36 to 2.365 to 2.37 to 2.375 to 2.38 to 2.385 to 2.39 to 2.395 to 2.40 to 2.405 to 2.41 to 2.415 to 2.42 to 2.425 to 2.43 to 2.435 to 2.44 to 2.445 to 2.45 to 2.455 to 2.46 to 2.465 to 2.47 to 2.475 to 2.48 to 2.485 to 2.49 to 2.495 to 2.50 to 2.505 to 2.51 to 2.515 to 2.52 to 2.525 to 2.53 to 2.535 to 2.54 to 2.545 to 2.55 to 2.555 to 2.56 to 2.565 to 2.57 to 2.575 to 2.58 to 2.585 to 2.59 to 2.595 to 2.60 to 2.605 to 2.61 to 2.615 to 2.62 to 2.625 to 2.63 to 2.635 to 2.64 to 2.645 to 2.65 to 2.655 to 2.66 to 2.665 to 2.67 to 2.675 to 2.68 to 2.685 to 2.69 to 2.695 to 2.70 to 2.705 to 2.71 to 2.715 to 2.72 to 2.725 to 2.73 to 2.735 to 2.74 to 2.745 to 2.75 to 2.755 to 2.76 to 2.765 to 2.77 to 2.775 to 2.78 to 2.785 to 2.79 to 2.795 to 2.80 to 2.805 to 2.81 to 2.815 to 2.82 to 2.825 to 2.83 to 2.835 to 2.84 to 2.845 to 2.85 to 2.855 to 2.86 to 2.865 to 2.87 to 2.875 to 2.88 to 2.885 to 2.89 to 2.895 to 2.90 to 2.905 to 2.91 to 2.915 to 2.92 to 2.925 to 2.93 to 2.935 to 2.94 to 2.945 to 2.95 to 2.955 to 2.96 to 2.965 to 2.97 to 2.975 to 2.98 to 2.985 to 2.99 to 3.00 to 3.005 to 3.01 to 3.015 to 3.02 to 3.025 to 3.03 to 3.035 to 3.04 to 3.045 to 3.05 to 3.055 to 3.06 to 3.065 to 3.07 to 3.075 to 3.08 to 3.085 to 3.09 to 3.095 to 3.10 to 3.105 to 3.11 to 3.115 to 3.12 to 3.125 to 3.13 to 3.135 to 3.14 to 3.145 to 3.15 to 3.155 to 3.16 to 3.165 to 3.17 to 3.175 to 3.18 to 3.185 to 3.19 to 3.195 to 3.20 to 3.205 to 3.21 to 3.215 to 3.22 to 3.225 to 3.23 to 3.235 to 3.24 to 3.245 to 3.25 to 3.255 to 3.26 to 3.265 to 3.27 to 3.275 to 3.28 to 3.285 to 3.29 to 3.295 to 3.30 to 3.305 to 3.31 to 3.315 to 3.32 to 3.325 to 3.33 to 3.335 to 3.34 to 3.345 to 3.35 to 3.355 to 3.36 to 3.365 to 3.37 to 3.375 to 3.38 to 3.385 to 3.39 to 3.395 to 3.40 to 3.405 to 3.41 to 3.415 to 3.42 to 3.425 to 3.43 to 3.435 to 3.44 to 3.445 to 3.45 to 3.455 to 3.46 to 3.465 to 3.47 to 3.475 to 3.48 to 3.485 to 3.49 to 3.495 to 3.50 to 3.505 to 3.51 to 3.515 to 3.52 to 3.525 to 3.53 to 3.535 to 3.54 to 3.545 to 3.55 to 3.555 to 3.56 to 3.565 to 3.57 to 3.575 to 3.58 to 3.585 to 3.59 to 3.595 to 3.60 to 3.605 to 3.61 to 3.615 to 3.62 to 3.625 to 3.63 to 3.635 to 3.64 to 3.645 to 3.65 to 3.655 to 3.66 to 3.665 to 3.67 to 3.675 to 3.68 to 3.685 to 3.69 to 3.695 to 3.70 to 3.705 to 3.71 to 3.715 to 3.72 to 3.725 to 3.73 to 3.735 to 3.74 to 3.745 to 3.75 to 3.755 to 3.76 to 3.765 to 3.77 to 3.775 to 3.78 to 3.785 to 3.79 to 3.795 to 3.80 to 3.805 to 3.81 to 3.815 to 3.82 to 3.825 to 3.83 to 3.835 to 3.84 to 3.845 to 3.85 to 3.855 to 3.86 to 3.865 to 3.87 to 3.875 to 3.88 to 3.885 to 3.89 to 3.895 to 3.90 to 3.905 to 3.91 to 3.915 to 3.92 to 3.925 to 3.93 to 3.935 to 3.94 to 3.945 to 3.95 to 3.955 to 3.96 to 3.965 to 3.97 to 3.975 to 3.98 to 3.985 to 3.99 to 4.00 to 4.005 to 4.01 to 4.015 to 4.02 to 4.025 to 4.03 to 4.035 to 4.04 to 4.045 to 4.05 to 4.055 to 4.06 to 4.065 to 4.07 to 4.075 to 4.08 to 4.085 to 4.09 to 4.095 to 4.10 to 4.105 to 4.11 to 4.115 to 4.12 to 4.125 to 4.13 to 4.135 to 4.14 to 4.145 to 4.15 to 4.155 to 4.16 to 4.165 to 4.17 to 4.175 to 4.18 to 4.185 to 4.19 to 4.195 to 4.20 to 4.205 to 4.21 to 4.215 to 4.22 to 4.225 to 4.23 to 4.235 to 4.24 to 4.245 to 4.25 to 4.255 to 4.26 to 4.265 to 4.27 to 4.275 to 4.28 to 4.285 to 4.29 to 4.295 to 4.30 to 4.305 to 4.31 to 4.315 to 4.32 to 4.325 to 4.33 to 4.335 to 4.34 to 4.345 to 4.35 to 4.355 to 4.36 to 4.365 to 4.37 to 4.375 to 4.38 to 4.385 to 4.39 to 4.395 to 4.40 to 4.405 to 4.41 to 4.415 to 4.42 to 4.425 to 4.43 to 4.435 to 4.44 to 4.445 to 4.45 to 4.455 to 4.46 to 4.465 to 4.47 to 4.475 to 4.48 to 4.485 to 4.49 to 4.495 to 4.50 to 4.505 to 4.51 to 4.515 to 4.52 to 4.525 to 4.53 to 4.535 to 4.54 to 4.545 to 4.55 to 4.555 to 4.56 to 4.565 to 4.57 to 4.575 to 4.58 to 4.585 to 4.59 to 4.595 to 4.60 to 4.605 to 4.61 to 4.615 to 4.62 to 4.625 to 4.63 to 4.635 to 4.64 to 4.645 to 4.65 to 4.655 to 4.66 to 4.665 to 4.67 to 4.675 to 4.68 to 4.685 to 4.69 to 4.695 to 4.70 to 4.705 to 4.71 to 4.715 to 4.72 to 4.725 to 4.73 to 4.735 to 4.74 to 4.745 to 4.75 to 4.755 to 4.76 to 4.765 to 4.77 to 4.775 to 4.78 to 4.785 to 4.79 to 4.795 to 4.80 to 4.805 to 4.81 to 4.815 to 4.82 to 4.825 to 4.83 to 4.835 to 4.84 to 4.845 to 4.85 to 4.855 to 4.86 to 4.865 to 4.87 to 4.875 to 4.88 to 4.885 to 4.89 to 4.895 to 4.90 to 4.905 to 4.91 to 4.915 to 4.92 to 4.925 to 4.93 to 4.935 to 4.94 to 4.945 to 4.95 to 4.955 to 4.96 to 4.965 to 4.97 to 4.975 to 4.98 to 4.985 to 4.99 to 5.00 to 5.005 to 5.01 to 5.015 to 5.02 to 5.025 to 5.03 to 5.035 to 5.04 to 5.045 to 5.05 to 5.055 to 5.06 to 5.065 to 5.07 to 5.075 to 5.08 to 5.085 to 5.09 to 5.095 to 5.10 to 5.105 to 5.11 to 5.115 to 5.12 to 5.125 to 5.13 to 5.135 to 5.14 to 5.145 to 5.15 to 5.155 to 5.16 to 5.165 to 5.17 to 5.175 to 5.18 to 5.185 to 5.19 to 5.195 to 5.20 to 5.205 to 5.21 to 5.215 to 5.22 to 5.225 to 5.23 to 5.235 to 5.24 to 5.245 to 5.25 to 5.255 to 5.26 to 5.265 to 5.27 to 5.275 to 5.28 to 5.285 to 5.29 to 5.295 to 5.30 to 5.305 to 5.31 to 5.315 to 5.32 to 5.325 to 5.33 to 5.335 to 5.34 to 5.345 to 5.35 to 5.355 to 5.36 to 5.365 to 5.37 to 5.375 to 5.38 to 5.385 to 5.39 to 5.395 to 5.40 to 5.405 to 5.41 to 5.415 to 5.42 to 5.425 to 5.43 to 5.435 to 5.44 to 5.445 to 5.45 to 5.455 to 5.46 to 5.465 to 5.47 to 5.475 to 5.48 to 5.485 to 5.49 to 5.495 to 5.50 to 5.505 to 5.51 to 5.515 to 5.52 to 5.525 to 5.53 to 5.535 to 5.54 to 5.545 to 5.55 to 5.555 to 5.56 to 5.565 to 5.57 to 5.575 to 5.58 to 5.585 to 5.59 to 5.595 to 5.60 to 5.605 to 5.61 to 5.615 to 5.62 to 5.625 to 5.63 to 5.635 to 5.64 to 5.645 to 5.65 to 5.655 to 5.66 to 5.665 to 5.67 to 5.675 to 5.68 to 5.685 to 5.69 to 5.695 to 5.70 to 5.705 to 5.71 to 5.715 to 5.72 to 5.725 to 5.73 to 5.735 to 5.74 to 5.745 to 5.75 to 5.755 to 5.76 to 5.765 to 5.77 to 5.775 to 5.78 to 5.785 to 5.79 to 5.795 to 5.80 to 5.805 to 5.81 to 5.815 to 5.82 to 5.825 to 5.83 to 5.835 to 5.84 to 5.845 to 5.85 to 5.855 to 5.86 to 5.865 to 5.87 to 5.875 to 5.88 to 5.885 to 5.89 to 5.895 to 5.90 to 5.905 to 5.91 to 5.915 to 5.92 to 5.925 to 5.93 to 5.935 to 5.94 to 5.945 to 5.95 to 5.955 to 5.96 to 5.965 to 5.97 to 5.975 to 5.98 to 5.985 to 5.99 to 6.00 to 6.005 to 6.01 to 6.015 to 6.02 to 6.025 to 6.03 to 6.035 to 6.04 to 6.045 to 6.05 to 6.055 to 6.06 to 6.065 to 6.07 to 6.075 to 6.08 to 6.085 to 6.09 to 6.095 to 6.10 to 6.105 to 6.11 to 6.115 to 6.12 to 6.125 to 6.13 to 6.135 to 6.14 to 6.145 to 6.15 to 6.155 to 6.16 to 6.165 to 6.17 to 6.175 to 6.18 to 6.185 to 6.19 to 6.195 to 6.20 to 6.205 to 6.21 to 6.215 to 6.22 to 6.225 to 6.23 to 6.235 to 6.24 to 6.245 to 6.25 to 6.255 to 6.26 to 6.265 to 6.27 to 6.275 to 6.28 to 6.285 to 6.29 to 6.295 to 6.30 to 6.305 to 6.31 to 6.315 to 6.32 to 6.325 to 6.33 to 6.335 to 6.34 to 6.345 to 6.35 to 6.355 to 6.36 to 6.365 to 6.37 to 6.375 to 6.38 to 6.385 to 6.39 to 6.395 to 6.40 to 6.405 to 6.41 to 6.415 to 6.42 to 6.425 to 6.43 to 6.435 to 6.44 to 6.445 to 6.45 to 6.455 to 6.46 to 6.465 to 6.47 to 6.475 to 6.48 to 6.485 to 6.49 to 6.495 to 6.50 to 6.505 to 6.51 to 6.515 to 6.52 to 6.525 to 6.53 to 6.535 to 6.54 to 6.545 to 6.55 to 6.555 to 6.56 to 6.565 to 6.57 to 6.575 to 6.58 to 6.585 to 6.59 to 6.595 to 6.60 to 6.605 to 6.61 to 6.615 to 6.62 to 6.625 to 6.63 to 6.635 to 6.64 to 6.645 to 6.65 to 6.655 to 6.66 to 6.665 to 6.67 to 6.675 to 6.68 to 6.685 to 6.69 to 6.695 to 6.70 to 6.705 to 6.71 to 6.715 to 6.72 to 6.725 to 6.73 to 6.735 to 6.74 to 6.745 to 6.75 to 6.755 to 6.76 to 6.765 to 6.77 to 6.775 to 6.78 to 6.785 to 6.79 to 6.795 to 6.80 to 6.805 to 6.81 to 6.815 to 6.82 to 6.825 to 6.83 to 6.835 to 6.84 to 6.845 to 6.85 to 6.855 to 6.86 to 6.865 to 6.87 to 6.875 to 6.88 to 6.885 to 6.89 to 6.895 to 6.90 to 6.905 to 6.91 to 6.915 to 6.92 to 6.925 to 6.93 to 6.935 to 6.94 to 6.945 to 6.95 to 6.955 to 6.96 to 6.965 to 6.97 to 6.975 to 6.98 to 6.985 to 6.99 to 7.00 to 7.005 to 7.01 to 7.015 to 7.02 to 7.025 to 7.03 to 7.035 to 7.04 to 7.045 to 7.05 to 7.055 to 7.06 to 7.065 to 7.07 to 7.075 to 7.08 to 7.085 to 7.09 to 7.095 to 7.10 to 7.105 to 7.11 to 7.115 to 7.12 to 7.125 to 7.13 to 7.135 to 7.14 to 7.145 to 7.15 to 7.155 to 7.16 to 7.165 to 7.17 to 7.175 to 7.18 to 7.185 to 7.19 to 7.195 to 7.20 to 7.205 to 7.21 to 7.215 to 7.22 to 7.225 to 7.23 to 7.235 to 7.24 to 7.245 to 7.25 to 7.255 to 7.26 to 7.265 to 7.27 to 7.275 to 7.28 to 7.285 to 7.29 to 7.295 to 7.30 to 7.305 to 7.31 to 7.315 to 7.32 to 7.325 to 7.33 to 7.335 to 7.34 to 7.345 to 7.35 to 7.355 to 7.36 to 7.365 to 7.37 to 7.375 to 7.38 to 7.385 to 7.39 to 7.395 to 7.40 to 7.405 to 7.41 to 7.415 to 7.42 to 7.425 to 7.43 to 7.435 to 7.44 to 7.445 to 7.45 to 7.455 to 7.46 to 7.465 to 7.47 to 7.475 to 7.48 to 7.485 to 7.49 to 7.495 to 7.50 to 7.505 to 7.51 to 7.515 to 7.52 to 7.525 to 7.53 to 7.535 to 7.54 to 7.545 to 7.55 to 7.555 to 7.56 to 7.565 to 7.57 to 7.575 to 7.58 to 7.585 to 7.59 to 7.595 to 7.60 to 7.605 to 7.61 to 7.615 to 7.62 to 7.625 to 7.63 to 7.635 to 7.64 to 7.645 to 7.65 to 7.655 to 7.66 to 7.665 to 7.67 to 7.675 to 7.68 to 7.685 to 7.69 to 7.695 to 7.70 to 7.705 to 7.71 to 7.715 to 7.72 to 7.725 to 7.73 to 7.735 to 7.74 to 7.745 to 7.75 to 7.755 to 7.76 to 7.765 to 7.77 to 7.775 to 7.78 to 7.785 to 7.79 to 7.795 to 7.80 to 7.805 to 7.81 to 7.815 to 7.82 to 7.825 to 7.83 to 7.835 to 7.84 to 7.845 to 7.85 to 7.855 to 7.86 to 7.865 to 7.87 to 7.875 to 7.88 to 7.885 to 7.89 to 7.895 to 7.90 to 7.905 to 7.91 to 7.915 to 7.92 to 7.925 to 7.93 to 7.935 to 7.94 to 7.945 to 7.95 to 7.955 to 7.96 to 7.965 to 7.97 to 7.975 to 7.98 to 7.985 to 7.99 to 8.00 to 8.005 to 8.01 to 8.015 to 8.02 to 8.025 to 8.03 to 8.035 to 8.04 to 8.045 to 8.05 to 8.055 to 8.06 to 8.065 to 8.07 to 8.075 to 8.08 to 8.085 to 8.09 to 8.095 to 8.10 to 8.105 to 8.11 to 8.115 to 8.12 to 8.125 to 8.13 to 8.135 to 8.14 to 8.145 to 8.15 to 8.155 to 8.16 to 8.165 to 8.17 to 8.175 to 8.18 to 8.185 to 8.19 to 8.195 to 8.20 to 8.205 to 8.21 to 8.215 to 8.22 to 8.225 to 8.23 to 8.235 to 8.24 to 8.245 to 8.25 to 8.255 to 8.26 to 8.265 to 8.27 to 8.275 to 8.28 to 8.285 to 8.29 to 8.295 to 8.30 to 8.305 to



Panel Opening: 2.0" [50.6]
Panel Thickness: 0.40 [10.2] Max.



Panel Opening: 2.0" [50.6]



Part Numbers

722-0001	2-Hole Rectangular, 90-264VAC 50/60Hz, ¼" [6.3mm] spade terminals, hours & 1/10's
722-0002	Flush-Rectangular, 90-264VAC 50/60Hz, ¼" [6.3mm] spade terminals, hours & 1/10's
722-0003	Flush-Round, 90-264VAC 50/60Hz, ¼" [6.3mm] spade terminals, hours & 1/10's
722-0004	3-Hole Round, 90-264VAC 50/60Hz, ¼" [6.3mm] spade terminals, hours & 1/10's
722-0030	Square 1.9", 90-264VAC 50/60Hz, ¼" [6.3mm] spade terminals, hours & 1/10's
5003-010	NEMA 4X, 12 Gasket for Model 722-0001
5003-009	NEMA 4X, 12 Gasket for Model 722-0002
5003-008	NEMA 4X, 12 Gasket for Model 722-0003
5003-011	NEMA 4X, 12 Gasket for Model 722-0004

