

# Compatibility chart

**FLUKE®**

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect® product compatibility.

Fluke Connect® tools		Connects with:
3000 FC Digital Multimeter		
a3000 FC AC Current Clamp Meter		
a3001 FC AC Current Clamp w/iFlex		
a3002 FC AC/DC Current Meter		
a3003 FC 2000 A DC Current Clamp		
a3004 FC 4-20 mA DC Clamp Meter		
v3000 FC AC Voltage Meter		
v3001 FC DC Voltage Meter		
t3000 FC Temperature Meter		
805 FC Vibration Meter		
Infrared Cameras	Ti400, Ti300 and Ti200	
	TiS65, TiS60, TiS55, TiS50, TiS45, TiS40, TiS20 and TiS10	
	TiX560 and TiX520	
	Ti125, Ti110, Ti105 and Ti100	
	Ti95 and Ti90	
	TiX1000, TiX660 and TiX640	
Fluke Connect® accessories		
ir3000 FC Wireless Connector		
pc3000 FC PC Adapter		
Wireless FC SD Card		
Fluke Connect® software		
Fluke Connect App - iOS and Android™		
SW3000 FC PC Software		
		
		
		
		
		
		
		
		
		

## Connects with:



3000 FC Digital Multimeter\*



a3000 FC Clamp



a3001 FC Clamp



a3002 FC Module



a3003 FC Clamp



a3004 FC Clamp




v3000 FC Meter



v3001 FC Meter



t3000 FC Meter



Ti400, Ti300 and Ti200



TiS65, TiS60, TiS55, TiS50, TiS45, TiS40, TiS20 and TiS10



TiX560 and TiX520



Fluke Connect App: iOS (4s and later with 8.0 operating system); Android (4.3 and up)



pc3000 FC PC Adapter/ SW3000 FC Software\*

**Includes:** TL175 Test Leads (red/black), AC175 Alligator clips (red/black), 3-AA batteries (installed) and information pack

**Compatible with CNX:** No

**\*Requirements:** 3000 FC DMM must be in module mode to connect with another 3000 FC DMM, Ti400/300/200/TiX560/TiX520 and TiSxx Series or with the Fluke Connect app; SW3000 FC PC Software requires the PC adapter



# Compatibility chart

**FLUKE®**

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect® product compatibility.

Fluke Connect® tools	
3000 FC Digital Multimeter	
a3000 FC AC Current Clamp Meter	
a3001 FC AC Current Clamp w/iFlex	
a3002 FC AC/DC Current Meter	
a3003 FC 2000 A DC Current Clamp	
a3004 FC 4-20 mA DC Clamp Meter	
v3000 FC AC Voltage Meter	
v3001 FC DC Voltage Meter	
t3000 FC Temperature Meter	
805 FC Vibration Meter	
Infrared Cameras	Ti400, Ti300 and Ti200
	TiS65, TiS60, TiS55, TiS50, TiS45, TiS40, TiS20 and TiS10
	TiX560 and TiX520
	Ti125, Ti110, Ti105 and Ti100
	Ti95 and Ti90
	TiX1000, TiX660 and TiX640
Fluke Connect® accessories	
ir3000 FC Wireless Connector	
pc3000 FC PC Adapter	
Wireless FC SD Card	
Fluke Connect® software	
Fluke Connect App - iOS and Android™	
SW3000 FC PC Software	

**Connects with:**



3000 FC Digital Multimeter



Ti400, Ti300 and Ti200



TiS65, TiS60, TiS55, TiS50, TiS45, TiS40, TiS20 and TiS10



TiX560 and TiX520



Fluke Connect App:  
iOS (4s and later with 8.0 operating system);  
Android (4.3 and up)




pc3000 FC PC Adapter/  
SW3000 FC Software\*

**Includes:** 2-AA batteries (installed), information pack

**Compatible with CNX:** No

**\*Requirements:** SW3000 FC PC Software requires the PC adapter



# Compatibility chart

**FLUKE®**

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect® product compatibility.

Fluke Connect® tools	
3000 FC Digital Multimeter	
a3000 FC AC Current Clamp Meter	
a3001 FC AC Current Clamp w/iFlex	
a3002 FC AC/DC Current Meter	
a3003 FC 2000 A DC Current Clamp	
a3004 FC 4-20 mA DC Clamp Meter	
v3000 FC AC Voltage Meter	
v3001 FC DC Voltage Meter	
t3000 FC Temperature Meter	
805 FC Vibration Meter	
Infrared Cameras	Ti400, Ti300 and Ti200
	TiS65, TiS60, TiS55, TiS50, TiS45, TiS40, TiS20 and TiS10
	TiX560 and TiX520
	Ti125, Ti110, Ti105 and Ti100
	Ti95 and Ti90
	TiX1000, TiX660 and TiX640
Fluke Connect® accessories	
ir3000 FC Wireless Connector	
pc3000 FC PC Adapter	
Wireless FC SD Card	
Fluke Connect® software	
Fluke Connect App - iOS and Android™	
SW3000 FC PC Software	



**Connects with:**



3000 FC Digital Multimeter



Ti400, Ti300 and Ti200



TiS65, TiS60, TiS55, TiS50, TiS45, TiS40, TiS20 and TiS10



TiX560 and TiX520



Fluke Connect App:  
iOS (4s and later with 8.0 operating system);  
Android (4.3 and up)



pc3000 FC PC Adapter/  
SW3000 FC Software\*

**Includes:** 1x iFlex 10" coil, 2-AA batteries (installed), one magnet hanging strap and information pack

**Compatible with CNX:** No

**\*Requirements:** SW3000 FC PC Software requires the PC adapter



©2014-2015 Fluke Corporation. All trademarks are the property of their respective owners. WiFi or cellular service required to share data. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Phone support details can be viewed at fluke.com/phones. All models are not available in all countries. Check with your local Fluke representative for details. 7/2015 6002581f-en



# Compatibility chart

**FLUKE®**

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect® product compatibility.

Fluke Connect® tools	
3000 FC Digital Multimeter	
a3000 FC AC Current Clamp Meter	
a3001 FC AC Current Clamp w/iFlex	
a3002 FC AC/DC Current Meter	
a3003 FC 2000 A DC Current Clamp	
a3004 FC 4-20 mA DC Clamp Meter	
v3000 FC AC Voltage Meter	
v3001 FC DC Voltage Meter	
t3000 FC Temperature Meter	
805 FC Vibration Meter	
Infrared Cameras	Ti400, Ti300 and Ti200
	TiS65, TiS60, TiS55, TiS50, TiS45, TiS40, TiS20 and TiS10
	TiX560 and TiX520
	Ti125, Ti110, Ti105 and Ti100
	Ti95 and Ti90
	TiX1000, TiX660 and TiX640
Fluke Connect® accessories	
ir3000 FC Wireless Connector	
pc3000 FC PC Adapter	
Wireless FC SD Card	
Fluke Connect® software	
Fluke Connect App - iOS and Android™	
SW3000 FC PC Software	

**Connects with:**



3000 FC Digital Multimeter



Ti400, Ti300 and Ti200



TiS65, TiS60, TiS55, TiS50, TiS45, TiS40, TiS20 and TiS10



TiX560 and TiX520



Fluke Connect App:  
iOS (4s and later with 8.0 operating system);  
Android (4.3 and up)



pc3000 FC PC Adapter/  
SW3000 FC Software\*

<p><b>i410 and i1010 clamps sold separately</b></p> <p><b>Includes:</b> 2-AA batteries (installed), 1x magnet hanging strap and information pack</p> <p><b>Compatible with CNX:</b> No</p> <p><b>*Requirements:</b> SW3000 FC PC Software requires the PC adapter</p>
---



# Compatibility chart

**FLUKE®**

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect® product compatibility.

Fluke Connect® tools	
3000 FC Digital Multimeter	
a3000 FC AC Current Clamp Meter	
a3001 FC AC Current Clamp w/iFlex	
a3002 FC AC/DC Current Meter	
<b>a3003 FC 2000 A DC Current Clamp</b>	
a3004 FC 4-20 mA DC Clamp Meter	
v3000 FC AC Voltage Meter	
v3001 FC DC Voltage Meter	
t3000 FC Temperature Meter	
805 FC Vibration Meter	
Infrared Cameras	Ti400, Ti300 and Ti200
	TiS65, TiS60, TiS55, TiS50, TiS45, TiS40, TiS20 and TiS10
	TiX560 and TiX520
	Ti125, Ti110, Ti105 and Ti100
	Ti95 and Ti90
	TiX1000, TiX660 and TiX640
Fluke Connect® accessories	
ir3000 FC Wireless Connector	
pc3000 FC PC Adapter	
Wireless FC SD Card	
Fluke Connect® software	
Fluke Connect App - iOS and Android™	
SW3000 FC PC Software	



**Connects with:**



3000 FC Digital Multimeter



Ti400, Ti300 and Ti200



TiS65, TiS60, TiS55, TiS50, TiS45, TiS40, TiS20 and TiS10



TiX560 and TiX520



Fluke Connect App:  
iOS (4s and later with 8.0 operating system);  
Android (4.3 and up)



pc3000 FC PC Adapter/  
SW3000 FC Software\*

**Includes:** 1x i2000 2000A DC Current Clamp, 2-AA batteries (installed), one magnet hanging strap and information pack

**Compatible with CNX:** No

**\*Requirements:** SW3000 FC PC Software requires the PC adapter





# Compatibility chart

**FLUKE®**

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect® product compatibility.

Fluke Connect® tools	
3000 FC Digital Multimeter	
a3000 FC AC Current Clamp Meter	
a3001 FC AC Current Clamp w/iFlex	
a3002 FC AC/DC Current Meter	
a3003 FC 2000 A DC Current Clamp	
a3004 FC 4-20 mA DC Clamp Meter	
v3000 FC AC Voltage Meter	
v3001 FC DC Voltage Meter	
t3000 FC Temperature Meter	
805 FC Vibration Meter	
Infrared Cameras	Ti400, Ti300 and Ti200
	TiS65, TiS60, TiS55, TiS50, TiS45, TiS40, TiS20 and TiS10
	TiX560 and TiX520
	Ti125, Ti110, Ti105 and Ti100
	Ti95 and Ti90
	TiX1000, TiX660 and TiX640
Fluke Connect® accessories	
ir3000 FC Wireless Connector	
pc3000 FC PC Adapter	
Wireless FC SD Card	
Fluke Connect® software	
Fluke Connect App - iOS and Android™	
SW3000 FC PC Software	

**Connects with:**



3000 FC Digital Multimeter



Ti400, Ti300 and Ti200



TiS65, TiS60, TiS55, TiS50, TiS45, TiS40, TiS20 and TiS10



TiX560 and TiX520



Fluke Connect App:  
iOS (4s and later with 8.0 operating system);  
Android (4.3 and up)



pc3000 FC PC Adapter/  
SW3000 FC Software\*

**Includes:** 1x i20 4-20 mA DC Current Clamp, 2-AA batteries (installed), one magnet hanging strap and information pack

**Compatible with CNX:** No

**\*Requirements:** SW3000 FC PC Software requires the PC adapter



# Compatibility chart

**FLUKE®**

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect® product compatibility.

Fluke Connect® tools	
3000 FC Digital Multimeter	
a3000 FC AC Current Clamp Meter	
a3001 FC AC Current Clamp w/iFlex	
a3002 FC AC/DC Current Meter	
a3003 FC 2000 A DC Current Clamp	
a3004 FC 4-20 mA DC Clamp Meter	
v3000 FC AC Voltage Meter	
v3001 FC DC Voltage Meter	
t3000 FC Temperature Meter	
805 FC Vibration Meter	
Infrared Cameras	Ti400, Ti300 and Ti200
	TiS65, TiS60, TiS55, TiS50, TiS45, TiS40, TiS20 and TiS10
	TiX560 and TiX520
	Ti125, Ti110, Ti105 and Ti100
	Ti95 and Ti90
	TiX1000, TiX660 and TiX640
Fluke Connect® accessories	
ir3000 FC Wireless Connector	
pc3000 FC PC Adapter	
Wireless FC SD Card	
Fluke Connect® software	
Fluke Connect App - iOS and Android™	
SW3000 FC PC Software	

**Connects with:**



3000 FC Digital Multimeter



Ti400, Ti300 and Ti200



TiS65, TiS60, TiS55, TiS50, TiS45, TiS40, TiS20 and TiS10



TiX560 and TiX520



Fluke Connect App:  
iOS (4s and later with 8.0 operating system);  
Android (4.3 and up)



pc3000 FC PC Adapter/  
SW3000 FC Software\*

**Includes:** TL224 Test leads (red/black), AC285 Alligator Clips (red/black), 2-AA batteries (installed), 1x magnet hanging strap and information pack

**Compatible with CNX:** No

**\*Requirements:** SW3000 FC PC Software requires the PC adapter



# Compatibility chart

**FLUKE®**

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect® product compatibility.

Fluke Connect® tools	
3000 FC Digital Multimeter	
a3000 FC AC Current Clamp Meter	
a3001 FC AC Current Clamp w/iFlex	
a3002 FC AC/DC Current Meter	
a3003 FC 2000 A DC Current Clamp	
a3004 FC 4-20 mA DC Clamp Meter	
v3000 FC AC Voltage Meter	
v3001 FC DC Voltage Meter	
t3000 FC Temperature Meter	
805 FC Vibration Meter	
Infrared Cameras	Ti400, Ti300 and Ti200
	TiS65, TiS60, TiS55, TiS50, TiS45, TiS40, TiS20 and TiS10
	TiX560 and TiX520
	Ti125, Ti110, Ti105 and Ti100
	Ti95 and Ti90
	TiX1000, TiX660 and TiX640
Fluke Connect® accessories	
ir3000 FC Wireless Connector	
pc3000 FC PC Adapter	
Wireless FC SD Card	
Fluke Connect® software	
Fluke Connect App - iOS and Android™	
SW3000 FC PC Software	

**Connects with:**



3000 FC Digital Multimeter



Ti400, Ti300 and Ti200



TiS65, TiS60, TiS55, TiS50, TiS45, TiS40, TiS20 and TiS10



TiX560 and TiX520



Fluke Connect App: iOS (4s and later with 8.0 operating system); Android (4.3 and up)



pc3000 FC PC Adapter/SW3000 FC Software\*

**Includes:** TL222 Test Leads (red/black), AC220 alligator clips (red/black), 2-AA batteries (installed), 1x magnet hanging strap and information pack

**Compatible with CNX:** No

**\*Requirements:** SW3000 FC PC Software requires the PC adapter





# Compatibility chart

**FLUKE®**

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect® product compatibility.

Fluke Connect® tools	
3000 FC Digital Multimeter	
a3000 FC AC Current Clamp Meter	
a3001 FC AC Current Clamp w/iFlex	
a3002 FC AC/DC Current Meter	
a3003 FC 2000 A DC Current Clamp	
a3004 FC 4-20 mA DC Clamp Meter	
v3000 FC AC Voltage Meter	
v3001 FC DC Voltage Meter	
t3000 FC Temperature Meter	
805 FC Vibration Meter	
Infrared Cameras	Ti400, Ti300 and Ti200
	TiS65, TiS60, TiS55, TiS50, TiS45, TiS40, TiS20 and TiS10
	TiX560 and TiX520
	Ti125, Ti110, Ti105 and Ti100
	Ti95 and Ti90
	TiX1000, TiX660 and TiX640
Fluke Connect® accessories	
ir3000 FC Wireless Connector	
pc3000 FC PC Adapter	
Wireless FC SD Card	
Fluke Connect® software	
Fluke Connect App - iOS and Android™	
SW3000 FC PC Software	

**Connects with:**



3000 FC Digital Multimeter



Ti400, Ti300 and Ti200



TiS65, TiS60, TiS55, TiS50, TiS45, TiS40, TiS20 and TiS10



TiX560 and TiX520



Fluke Connect App:  
iOS (4s and later with 8.0 operating system);  
Android (4.3 and up)



pc3000 FC PC Adapter/  
SW3000 FC Software\*

**Includes:** 2-AA batteries (installed), 80pk-1 K-Type Thermocouple Probe, 1x magnet hanging strap and information pack

**Compatible with CNX:** No

**\*Requirements:** SW3000 FC PC Software requires the PC adapter



# Compatibility chart

**FLUKE®**

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect® product compatibility.

Fluke Connect® tools	
3000 FC Digital Multimeter	
a3000 FC AC Current Clamp Meter	
a3001 FC AC Current Clamp w/iFlex	
a3002 FC AC/DC Current Meter	
a3003 FC 2000 A DC Current Clamp	
a3004 FC 4-20 mA DC Clamp Meter	
v3000 FC AC Voltage Meter	
v3001 FC DC Voltage Meter	
t3000 FC Temperature Meter	
805 FC Vibration Meter	
Infrared Cameras	Ti400, Ti300 and Ti200
	TiS65, TiS60, TiS55, TiS50, TiS45, TiS40, TiS20 and TiS10
	TiX560 and TiX520
	Ti125, Ti110, Ti105 and Ti100
	Ti95 and Ti90
	TiX1000, TiX660 and TiX640
Fluke Connect® accessories	
ir3000 FC Wireless Connector	
pc3000 FC PC Adapter	
Wireless FC SD Card	
Fluke Connect® software	
Fluke Connect App - iOS and Android™	
SW3000 FC PC Software	



**Connects with:**




Fluke Connect App:  
iOS (4s and later with 8.0 operating system);  
Android (4,3 and up)

<b>Includes:</b> USB Cable, storage case, belt holster and two (2) AA batteries
<b>Compatible with CNX:</b> No



©2014-2015 Fluke Corporation. All trademarks are the property of their respective owners. WiFi or cellular service required to share data. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Phone support details can be viewed at fluke.com/phones. All models are not available in all countries. Check with your local Fluke representative for details. 7/2015 6002581f-en



# Compatibility chart

**FLUKE®**

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect® product compatibility.

Fluke Connect® tools		Connects with:
3000 FC Digital Multimeter		
a3000 FC AC Current Clamp Meter		
a3001 FC AC Current Clamp w/iFlex		
a3002 FC AC/DC Current Meter		
a3003 FC 2000 A DC Current Clamp		
a3004 FC 4-20 mA DC Clamp Meter		
v3000 FC AC Voltage Meter		
v3001 FC DC Voltage Meter		
t3000 FC Temperature Meter		
805 FC Vibration Meter		
Infrared Cameras	Ti400, Ti300 and Ti200	
	TiS65, TiS60, TiS55, TiS50, TiS45, TiS40, TiS20 and TiS10	
	TiX560 and TiX520	
	Ti125, Ti110, Ti105 and Ti100	
	Ti95 and Ti90	
	TiX1000, TiX660 and TiX640	
Fluke Connect® accessories		
ir3000 FC Wireless Connector		
pc3000 FC PC Adapter		
Wireless FC SD Card		
Fluke Connect® software		
Fluke Connect App - iOS and Android™		
SW3000 FC PC Software		

**Includes:** AC power supply and battery pack charger, two battery packs, USB cable, HDMI video cable, hard carrying case, soft transport bag, hand strap and free download of SmartView® analysis and reporting software.

**Compatible with CNX:** Yes

**\*Requirements:** 3000 FC DMM must be in module mode to connect with Ti400, Ti300 and Ti200 Infrared Cameras



©2014-2015 Fluke Corporation. All trademarks are the property of their respective owners. WiFi or cellular service required to share data. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Phone support details can be viewed at fluke.com/phones. All models are not available in all countries. Check with your local Fluke representative for details. 7/2015 6002581f-en




# Compatibility chart


**FLUKE®**

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect® product compatibility.


Fluke Connect® tools	
3000 FC Digital Multimeter	
a3000 FC AC Current Clamp Meter	
a3001 FC AC Current Clamp w/iFlex	
a3002 FC AC/DC Current Meter	
a3003 FC 2000 A DC Current Clamp	
a3004 FC 4-20 mA DC Clamp Meter	
v3000 FC AC Voltage Meter	
v3001 FC DC Voltage Meter	
t3000 FC Temperature Meter	
805 FC Vibration Meter	
Infrared Cameras	Ti400, Ti300 and Ti200
	<b>TiS65, TiS60, TiS55, TiS50, TiS45, TiS40, TiS20 and TiS10</b>
	TiX560 and TiX520
	Ti125, Ti110, Ti105 and Ti100
	Ti95 and Ti90
	TiX1000, TiX660 and TiX640
Fluke Connect® accessories	
ir3000 FC Wireless Connector	
pc3000 FC PC Adapter	
Wireless FC SD Card	
Fluke Connect® software	
Fluke Connect App - iOS and Android™	
SW3000 FC PC Software	




**Connects with:**




3000 FC Digital Multimeter\*




a3000 FC Clamp




a3001 FC Clamp




a3002 FC Module




a3003 FC Clamp




a3004 FC Clamp




v3000 FC Meter



v3001 FC Meter



t3000 FC Meter



Fluke Connect App:  
iOS (4s and later with 8.0 operating system);  
Android (4.3 and up)

**Includes:** Universal AC power adapter, lithium ion smart battery (TiS65/60 includes 2 each—other models 1 each), USB cable, Micro SD card (TiS65/60, TiS55 and TiS45), hard carrying case (TiS65/60, TiS55/50 and TiS45/40), soft transport bag, adjustable hand strap (TiS65/60, TiS55/50 and TiS45/40), quick reference guide and safety sheet. Software is available via download at [www.fluke.com/smartviewdownload](http://www.fluke.com/smartviewdownload). TiS65/60 models include a two-bay battery charger.

**Compatible with CNX:** No

**\*Requirements:** 3000 FC DMM must be in module mode to connect with TiS65, TiS60, TiS55, TiS50, TiS45, TiS40, TiS20 and TiS10 Infrared Cameras




# Compatibility chart


**FLUKE®**

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect® product compatibility.


Fluke Connect® tools	
3000 FC Digital Multimeter	
a3000 FC AC Current Clamp Meter	
a3001 FC AC Current Clamp w/iFlex	
a3002 FC AC/DC Current Meter	
a3003 FC 2000 A DC Current Clamp	
a3004 FC 4-20 mA DC Clamp Meter	
v3000 FC AC Voltage Meter	
v3001 FC DC Voltage Meter	
t3000 FC Temperature Meter	
805 FC Vibration Meter	
Infrared Cameras	Ti400, Ti300 and Ti200
	TiS65, TiS60, TiS55, TiS50, TiS45, TiS40, TiS20 and TiS10
	<b>TiX560 and TiX520</b>
	Ti125, Ti110, Ti105 and Ti100
	Ti95 and Ti90
	TiX1000, TiX660 and TiX640
Fluke Connect® accessories	
ir3000 FC Wireless Connector	
pc3000 FC PC Adapter	
Wireless FC SD Card	
Fluke Connect® software	
Fluke Connect App - iOS and Android™	
SW3000 FC PC Software	




**Connects with:**




3000 FC Digital Multimeter\*




a3000 FC Clamp




a3001 FC Clamp




a3002 FC Module




a3003 FC Clamp




a3004 FC Clamp




v3000 FC Meter



v3001 FC Meter



t3000 FC Meter



Fluke Connect App:  
iOS (4s and later with 8.0 operating system);  
Android (4.3 and up)

**Includes:** AC power supply and battery pack charger, two battery packs, USB cable, HDMI video cable, hard carrying case, adjustable neck and hand strap, Bluetooth® headset (where available) and free download of SmartView® analysis and reporting software.

**Compatible with CNX:** No

**\*Requirements:** 3000 FC DMM must be in module mode to connect with TiX560 or the TiX520 Infrared Cameras





# Compatibility chart

**FLUKE®**

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect® product compatibility.

Fluke Connect® tools	
3000 FC Digital Multimeter	
a3000 FC AC Current Clamp Meter	
a3001 FC AC Current Clamp w/iFlex	
a3002 FC AC/DC Current Module	
a3003 FC 2000 A DC Current Clamp	
a3004 FC 4-20 mA DC Clamp Meter	
v3000 FC AC Voltage Meter	
v3001 FC DC Voltage Meter	
t3000 FC Temperature Meter	
805 FC Vibration Tester	
Infrared Cameras	Ti400, Ti300 and Ti200
	TiS65, TiS60, TiS55, TiS50, TiS45, TiS40, TiS20 and TiS10
	TiX560 and TiX520
	<b>Ti125, Ti110, Ti105 and Ti100</b>
	Ti95 and Ti90
	TiX1000, TiX660 and TiX640
Fluke Connect® accessories	
ir3000 FC Wireless Connector	
pc3000 FC PC Adapter	
Wireless FC SD Card	
Fluke Connect® software	
Fluke Connect App - iOS and Android™	
SW3000 FC PC Software	



**Connects with:**





Fluke Connect App:  
iOS (4s and later with 8.0 operating system);  
Android (4.3 and up)

Wireless FC SD Card

**Includes:** AC power supply and battery pack charger, two battery packs, for Ti125; one for the other models, USB cable, FC SD card, hard carrying case, soft transport bag, hand strap and free download of SmartView® analysis and reporting software.

**Compatible with CNX:** Yes



©2014-2015 Fluke Corporation. All trademarks are the property of their respective owners. WiFi or cellular service required to share data. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Phone support details can be viewed at fluke.com/phones. All models are not available in all countries. Check with your local Fluke representative for details. 7/2015 6002581f-en



# Compatibility chart

**FLUKE®**

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect® product compatibility.

Fluke Connect® tools	
3000 FC Digital Multimeter	
a3000 FC AC Current Clamp Meter	
a3001 FC AC Current Clamp w/iFlex	
a3002 FC AC/DC Current Meter	
a3003 FC 2000 A DC Current Clamp	
a3004 FC 4-20 mA DC Clamp Meter	
v3000 FC AC Voltage Meter	
v3001 FC DC Voltage Meter	
t3000 FC Temperature Meter	
805 FC Vibration Meter	
Infrared Cameras	Ti400, Ti300 and Ti200
	TiS65, TiS60, TiS55, TiS50, TiS45, TiS40, TiS20 and TiS10
	TiX560 and TiX520
	Ti125, Ti110, Ti105 and Ti100
	<b>Ti95 and Ti90</b>
	TiX1000, TiX660 and TiX640
Fluke Connect® accessories	
ir3000 FC Wireless Connector	
pc3000 FC PC Adapter	
Wireless FC SD Card	
Fluke Connect® software	
Fluke Connect App - iOS and Android™	
SW3000 FC PC Software	



**Connects with:**



Fluke Connect App:  
iOS (4s and later with 8.0 operating system);  
Android (4,3 and up)




Wireless FC SD Card

**Includes:** Power adapter, battery pack, USB cable, FC SD card, hard carrying case, soft transport bag, hand strap and free download of SmartView® analysis and reporting software.

**Compatible with CNX:** No



©2014-2015 Fluke Corporation. All trademarks are the property of their respective owners. WiFi or cellular service required to share data. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Phone support details can be viewed at fluke.com/phones. All models are not available in all countries. Check with your local Fluke representative for details. 7/2015 6002581f-en



# Compatibility chart

**FLUKE®**

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect® product compatibility.

Fluke Connect® tools	
3000 FC Digital Multimeter	
a3000 FC AC Current Clamp Meter	
a3001 FC AC Current Clamp w/iFlex	
a3002 FC AC/DC Current Meter	
a3003 FC 2000 A DC Current Clamp	
a3004 FC 4-20 mA DC Clamp Meter	
v3000 FC AC Voltage Meter	
v3001 FC DC Voltage Meter	
t3000 FC Temperature Meter	
805 FC Vibration Meter	
Infrared Cameras	Ti400, Ti300 and Ti200
	TiS65, TiS60, TiS55, TiS50, TiS45, TiS40, TiS20 and TiS10
	TiX560 and TiX520
	Ti125, Ti110, Ti105 and Ti100
	Ti95 and Ti90
	<b>TiX1000, TiX660 and TiX640</b>
Fluke Connect® accessories	
ir3000 FC Wireless Connector	
pc3000 FC PC Adapter	
Wireless FC SD Card	
Fluke Connect® software	
Fluke Connect App - iOS and Android™	
SW3000 FC PC Software	



**Connects with:**



Fluke Connect App:  
iOS (4s and later with 8.0 operating system);  
Android (4.3 and up)



Wireless FC SD Card

**Includes:** AC power supply and battery pack charger, two battery packs for TiX1000 and TiX660; one for TiX640; SD card reader; FC SD card reader, carrying case, neck strap, hand strap and free download of SmartView® analysis and reporting software.

**Compatible with CNX:** No



©2014-2015 Fluke Corporation. All trademarks are the property of their respective owners. WiFi or cellular service required to share data. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Phone support details can be viewed at fluke.com/phones. All models are not available in all countries. Check with your local Fluke representative for details. 7/2015 6002581f-en



# Compatibility chart

**FLUKE®**

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect® product compatibility.

Fluke Connect® tools	
3000 FC Digital Multimeter	
a3000 FC AC Current Clamp Meter	
a3001 FC AC Current Clamp w/iFlex	
a3002 FC AC/DC Current Meter	
a3003 FC 2000 A DC Current Clamp	
a3004 FC 4-20 mA DC Clamp Meter	
v3000 FC AC Voltage Meter	
v3001 FC DC Voltage Meter	
t3000 FC Temperature Meter	
805 FC Vibration Meter	
Infrared Cameras	Ti400, Ti300 and Ti200
	TiS65, TiS60, TiS55, TiS50, TiS45, TiS40, TiS20 and TiS10
	TiX560 and TiX520
	Ti125, Ti110, Ti105 and Ti100
	Ti95 and Ti90
	TiX1000, TiX660 and TiX640
Fluke Connect® accessories	
ir3000 FC Wireless Connector	
pc3000 FC PC Adapter	
Wireless FC SD Card	
Fluke Connect® software	
Fluke Connect App - iOS and Android™	
SW3000 FC PC Software	



**Connects with:**



Fluke 789  
ProcessMeter™



Fluke 289 Digital  
Multimeter



Fluke 287 Digital  
Multimeter




Fluke Connect App:  
iOS (4s and later with  
8.0 operating system);  
Android (4,3 and up)

287, 289 and 789 compatible
<b>Includes:</b> Instruction sheet
<b>Compatible with CNX:</b> No



©2014-2015 Fluke Corporation. All trademarks are the property of their respective owners. WiFi or cellular service required to share data. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Phone support details can be viewed at fluke.com/phones. All models are not available in all countries. Check with your local Fluke representative for details. 7/2015 6002581f-en




# Compatibility chart


**FLUKE®**

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect® product compatibility.


Fluke Connect® tools	
3000 FC Digital Multimeter	
a3000 FC AC Current Clamp Meter	
a3001 FC AC Current Clamp w/iFlex	
a3002 FC AC/DC Current Meter	
a3003 FC 2000 A DC Current Clamp	
a3004 FC 4-20 mA DC Clamp Meter	
v3000 FC AC Voltage Meter	
v3001 FC DC Voltage Meter	
t3000 FC Temperature Meter	
805 FC Vibration Meter	
Infrared Cameras	Ti400, Ti300 and Ti200
	TiS65, TiS60, TiS55, TiS50, TiS45, TiS40, TiS20 and TiS10
	TiX560 and TiX520
	Ti125, Ti110, Ti105 and Ti100
	Ti95 and Ti90
	TiX1000, TiX660 and TiX640
Fluke Connect® accessories	
ir3000 FC Wireless Connector	
pc3000 FC PC Adapter	
Wireless FC SD Card	
Fluke Connect® software	
Fluke Connect App - iOS and Android™	
SW3000 FC PC Software	

**Connects with:**







3000 FC Digital Multimeter\*




a3000 FC Clamp




a3001 FC Clamp




a3002 FC Module




a3003 FC Clamp




a3004 FC Clamp




v3000 FC Meter



v3001 FC Meter



t3000 FC Meter



SW3000 FC Software

**Includes:** SW3000 FC Software and instruction sheet

**Compatible with CNX:** No

**\*Requirements:** 3000 FC DMM must be in module mode to connect with pc3000 FC PC Adapter



©2014-2015 Fluke Corporation. All trademarks are the property of their respective owners. WiFi or cellular service required to share data. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Phone support details can be viewed at fluke.com/phones. All models are not available in all countries. Check with your local Fluke representative for details. 7/2015 6002581f-en





# Compatibility chart

**FLUKE®**

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect® product compatibility.

Fluke Connect® tools	
3000 FC Digital Multimeter	
a3000 FC AC Current Clamp Meter	
a3001 FC AC Current Clamp w/iFlex	
a3002 FC AC/DC Current Meter	
a3003 FC 2000 A DC Current Clamp	
a3004 FC 4-20 mA DC Clamp Meter	
v3000 FC AC Voltage Meter	
v3001 FC DC Voltage Meter	
t3000 FC Temperature Meter	
805 FC Vibration Meter	
Infrared Cameras	Ti400, Ti300 and Ti200
	TiS65, TiS60, TiS55, TiS50, TiS45, TiS40, TiS20 and TiS10
	TiX560 and TiX520
	Ti125, Ti110, Ti105 and Ti100
	Ti95 and Ti90
	TiX1000, TiX660 and TiX640
Fluke Connect® accessories	
ir3000 FC Wireless Connector	
pc3000 FC PC Adapter	
Wireless FC SD Card	
Fluke Connect® software	
Fluke Connect App - iOS and Android™	
SW3000 FC PC Software	

**Connects with:**



Ti125, Ti110, Ti105 and Ti100 Infrared Cameras



Ti95 and Ti90 Infrared Cameras



TiX1000, TiX660 and TiX640 Infrared Cameras



Fluke Connect App:  
iOS (4s and later with 8.0 operating system);  
Android (4,3 and up)

**Includes:** Instruction sheet, manual is available online at [www.fluke.com/fcsdcard](http://www.fluke.com/fcsdcard)

**Compatible with CNX:** No



©2014-2015 Fluke Corporation. All trademarks are the property of their respective owners. WiFi or cellular service required to share data. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Phone support details can be viewed at [fluke.com/phones](http://fluke.com/phones). All models are not available in all countries. Check with your local Fluke representative for details. 7/2015 6002581f-en



# Compatibility chart

**FLUKE®**

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect® product compatibility.

Fluke Connect® tools		Connects with:
3000 FC Digital Multimeter		
a3000 FC AC Current Clamp Meter		
a3001 FC AC Current Clamp w/iFlex		
a3002 FC AC/DC Current Meter		
a3003 FC 2000 A DC Current Clamp		
a3004 FC 4-20 mA DC Clamp Meter		
v3000 FC AC Voltage Meter		
v3001 FC DC Voltage Meter		
t3000 FC Temperature Meter		
805 FC Vibration Meter		
Infrared Cameras	Ti400, Ti300 and Ti200	
	TiS65, TiS60, TiS55, TiS50, TiS45, TiS40, TiS20 and TiS10	
	TiX560 and TiX520	
	Ti125, Ti110, Ti105 and Ti100	
	Ti95 and Ti90	
	TiX1000, TiX660 and TiX640	
Fluke Connect® accessories		
ir3000 FC Wireless Connector		
pc3000 FC PC Adapter		
Wireless FC SD Card		
Fluke Connect® software		
Fluke Connect App - iOS and Android™		
SW3000 FC PC Software		


Connects with:				
				
3000 FC Digital Multimeter*	a3000 FC Clamp	a3001 FC Clamp	a3002 FC Module	a3003 FC Clamp
				
a3004 FC Clamp	v3000 FC Meter	v3001 FC Meter	t3000 FC Meter	805FC Vibration Tester
				
Ti400, Ti300 and Ti200	TiX560 and TiX520	Ti125, Ti110, Ti105, Ti100, Ti95 and Ti90	TiX1000, TiX660 and TiX640	
				
TiS65, TiS60, TiS55, TiS50, TiS45, TiS40, TiS20 and TiS10	Wireless FC SD Card	Fluke Connect App: iOS (4s and later with 8.0 operating system); Android (4.3 and up)		

<b>Compatible with CNX:</b> No
<b>*Requirements:</b> 3000 FC DMM must be in module mode to connect with Fluke Connect App
Users with iOS or Android phones can use the app to communicate with users with iOS or Android phones.



©2014-2015 Fluke Corporation. All trademarks are the property of their respective owners. WiFi or cellular service required to share data. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Phone support details can be viewed at fluke.com/phones. All models are not available in all countries. Check with your local Fluke representative for details. 7/2015 6002581f-en



# Compatibility chart









**FLUKE®**

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect® product compatibility.

Fluke Connect® tools	
3000 FC Digital Multimeter	
a3000 FC AC Current Clamp Meter	
a3001 FC AC Current Clamp w/iFlex	
a3002 FC AC/DC Current Meter	
a3003 FC 2000 A DC Current Clamp	
a3004 FC 4-20 mA DC Clamp Meter	
v3000 FC AC Voltage Meter	
v3001 FC DC Voltage Meter	
t3000 FC Temperature Meter	
805 FC Vibration Meter	
Infrared Cameras	Ti400, Ti300 and Ti200
	TiS65, TiS60, TiS55, TiS50, TiS45, TiS40, TiS20 and TiS10
	TiX560 and TiX520
	Ti125, Ti110, Ti105 and Ti100
	Ti95 and Ti90
	TiX1000, TiX660 and TiX640
Fluke Connect® accessories	
ir3000 FC Wireless Connector	
pc3000 FC PC Adapter	
Wireless FC SD Card	
Fluke Connect® software	
Fluke Connect App - iOS and Android™	
SW3000 FC PC Software	



**Connects with:**

			
3000 FC Digital Multimeter*	a3000 FC Clamp	a3001 FC Clamp	a3002 FC Module
			
a3003 FC Clamp	a3004 FC Clamp	v3000 FC Meter	v3001 FC Meter
			
t3000 FC Meter	pc3000 FC PC Adapter		

**Includes:** pc3000 FC PC Adapter and instruction sheet

**Compatible with CNX:** No

**\*Requirements:** 3000 FC DMM must be in module mode to connect with pc3000 FC PC Adapter and SW3000 FC PC Software

