

# Pushbuttons/Selectors/Pilot Lights/Buzzers







## AR22 and DR22

### Quick reference guide

#### ■ Illuminated pushbutton switches

Operator	Type	Operator	Type	Operator	Type
Flush round head	<b>AR22F0L, F5L</b>  AF94-318	Extended with full guard (24mm dia. with openings)	<b>AR22G2L, G7L</b>  AF99-319	Flush round head with square bezel	<b>AR22F0P, F5P</b>  AF94-315
Extended round head	<b>AR22E0L, E5L</b>  AF94-317	Extended with full guard (24mm dia.)	<b>AR22G1L, G6L</b>  AF02-70	Extended round head with square bezel	<b>AR22E0P, E5P</b>  AF94-314
Mushroom head (40mm dia.)	<b>AR22M0L, M5L</b>  AF94-367	Push-lock, turn-reset (40mm dia. with white arrow)	<b>AR22V5L</b>  AF97-72	Mushroom head with square bezel (29mm dia.)	<b>AR22M4P</b>  AF94-440
Mushroom head (29mm dia.)	<b>AR22M4L, M9L</b>  AF94-369	Flush square head	<b>AR22F0M, F5M</b>  AF97-68		
Extended with transparent full guard (24mm dia.)	<b>AR22G4L, G9L</b>  AF94-294	Extended square head	<b>AR22E0M, E5M</b>  AF94-357		

#### ■ Pushbutton switches

Operator	Type	Operator	Type	Operator	Type
Flush round head	<b>AR22F0R, F5R</b>  AF94-320	Flush round head Symbol mark type	<b>AR22FAR, FBR</b>  AF98-193	Mushroom head (40mm dia.)	<b>AR22M0R, M5R</b>  AF94-293
Extended round head	<b>AR22E0R, E5R</b>  AF94-319	Extended round head Symbol mark type	<b>AR22EAR, EBR</b>  AF98-192	Mushroom head (29mm dia.)	<b>AR22M4R, M9R</b>  AF94-321

# Pushbuttons/Selectors/Pilot Lights/Buzzers

## AR22 and DR22




### Quick reference guide

#### ■ Pushbutton switches

Operator	Type	Operator	Type	Operator	Type
Extended with full guard (24mm dia.)	<b>AR22G3R, G8R</b>  AF94-292	Pushbutton with selector ring (2-position)	<b>AR22S1R, S2R, S3R, S6R</b>  AF97-507	Flush round head with square bezel	<b>AR22F0Y, F5Y</b>  AF94-295
Flush with full guard (24mm dia.)	<b>AR22G2R, G7R</b>  AF02-68	Push-lock, turn-reset (40mm dia. with white arrow)	<b>AR22V5R</b>  AF97-70	Extended round head with square bezel	<b>AR22E0Y, E5Y</b>  AF94-297
Extended with half guard	<b>AR22G0R, G5R</b>  AF96-236	Flush square head	<b>AR22F0S, F5S</b>  AF94-316	Mushroom head with square bezel (29mm dia.)	<b>AR22M4Y</b>  AF94-298
Mushroom head with full guard (40mm dia.)	<b>AR22M3R, M8R</b>  AF94-372	Extended square head	<b>AR22E0S, E5S</b>  AF94-296		

Note: AR22M8R: Not approved standard

#### ■ Emergency stop pushbutton switches (conform to EN418)

Operator	Type	Operator	Type	Operator	Type
Push-lock, turn-reset (Soft-touch 40mm dia. with white arrow)	<b>AR22V0R</b>  AF97-70	Push-lock, turn-reset (29mm dia.)	<b>AR22V4R</b>  AF95-53	Unibody push-lock, turn-reset (Soft-touch 40mm dia. with white arrow)	<b>AR22VGE</b>  KK03-037
Push-lock, turn-reset (40mm dia.)	<b>AR22V2R</b>  AF94-432	Key release push-lock, turn-reset (40mm dia.)	<b>AR22V7R</b>  AF98-37		
Push-lock, turn-reset (Soft-touch 29mm dia. with white arrow)	<b>AR22VSR</b>  AF99-317	Push-lock, pull-reset (35mm dia.)	<b>AR22Q2R</b>  AF95-52		







Notes: Provided with the  (Direct opening action)


# Pushbuttons/Selectors/Pilot Lights/Buzzers

## AR22 and DR22

### Quick reference guide

#### ■ Emergency stop illuminated pushbutton switches (conform to EN418)



Operator	Type	Operator	Type	Operator	Type
Push-lock, turn-reset (Soft-touch 40mm dia. with white arrow)	<b>AR22V0L</b>  AF97-72	Push-lock, turn-reset (Soft-touch 40mm dia. transparent in all colors with white arrow)	<b>AR22VDL</b>  AF97-77	Push-lock, turn-reset (Soft touch 29mm dia. with white arrow)	<b>AR22VSL</b>  AF99-316
Push-lock, turn-reset (40mm dia.)	<b>AR22V2L</b>  AF94-307	Push-lock, turn-reset (40mm dia. transparent in all colors)	<b>AR22VAL</b>  AF94-365	Unibody push-lock, turn-reset (Soft-touch 40mm dia. with white arrow)	<b>AR22VGF</b>  KK03-036

Note: Provided with the  (Direct opening action)

#### ■ Selector switches

Operator	Type	Operator	Type	Operator	Type
Knob	<b>AR22PR, PCR</b>  AF94-310	Key	<b>AR22JR, JCR</b>  AF94-311	Lever with square bezel	<b>AR22WY, WCY</b>  AF94-323
Lever	<b>AR22WR, WCR</b>  AF94-324	Key (Long durability)	<b>AR22JAR</b>  AF94-311	Cylindrical knob with square bezel	<b>AR22RY, RCY</b>  AF94-362
Cylindrical knob	<b>AR22RR, RCR</b>  AF94-308	Knob with square bezel	<b>AR22PY, PCY</b>  AF94-309	Key with square bezel	<b>AR22JY, JCY</b>  AF94-322

#### ■ Illuminated selector switches










Operator	Type	Operator	Type
Knob	<b>AR22PL</b>  AF94-306	Knob with square bezel	<b>AR22PP</b>  AF94-318

# Pushbuttons/Selectors/Pilot Lights/Buzzers

## AR22 and DR22




### Quick reference guide

#### ■ Pilot lights




Lens	Type	Lens	Type	Lens	Type
Dome	<b>DR22D0L</b>  AF94-333	Flush square	<b>DR22F3M</b>  AF94-330	Extended square	<b>DR22E3M</b>  AF94-380
Extended round	<b>DR22E3L</b>  AF94-332	Flush square (Transparent lens)	<b>DR22F4M</b>  AF94-443	Flush rectangular	<b>DR22E3N</b>  AF96-237
Faceted	<b>DR22K0L</b>  AF96-189	Flush square (12mm high frame)	<b>DR22F5M</b>  AF95-658	Extended round with square bezel	<b>DR22E3P</b>  AF94-331

Note: With resistor unit type: Not approved standard

#### ■ Joy stick selector switches



Handle	Type	Handle	Type	Handle	Type
Ball type	<b>AR22A0, A5</b>  AF97-49	Ball type with lock	<b>AR22A1, A6</b>  AF97-45	Rubber cap type	<b>AR22A2, A7</b>  AF97-56

#### ■ Buzzers

Sound	Type	Sound	Type	Sound	Type
Electronic sound	<b>DR22B5 *</b>  AF96-377	Magnetic sound	<b>DR22B3</b>  AF96-376	Electronic sound (IP54)	<b>DR22B8 *</b>  AF96-244

Note: \* 6V AC, 110V DC types: Not approved standard

#### ■ Numerical indicators

Display	Type	Display	Type
One-digit	<b>DR22N1</b>  KK02-548	Two-digit	<b>DR22N2</b>  KK02-16B