Moving Iron AC meter									
Product Code	EQ2C-	X	XX	X	X	X	X	XX	XXXX
Input Type for EQ2C	Current Meter	I							
	Voltage Meter	V							
Measuring range for EQ2C	100mAmps		01						
	250mAmps		02						
	500mAmps		03						
	1Amps		04						
	2Amps		05						
	5Amps		06						
	10Amps		07						
	15Amps		08						
	20Amps		09						
	25Amps		10						
	30Amps		11						
	31Amps		12						
	40Amps		13						
	50Amps		14						
	10Volts		2M						
	15Volts		2A						
	50Volts		2B						
	60Volts		2C						
	100Volts		2L						
	150Volts		2E						
	250Volts		2F						
	300Volts		2G						
	350Volts		2H						
	500Volts		2J						
	600Volts		2K						
Suppression for EQ2C	X1			1					
	X2			2					
	X3			3					
	X5			5					
	X6			6					
	x4			4					
	NA			X					
Accuracy Class for EQ2C	Class - 1.5				1				
	Class - 1.0				2				
Type of Dial for EQ2C	Standard Aluminum					A			
	Aluminum with Colour mark					R			
	With Dual Scale					D			
	Aluminium with colour bands					C			
	Without Dial					X			
	Blank Scale					B			
Background for EQ2C	Black Background						B		
	White background						W		
	NA						X		
Customer Code EQ2C	Blank							0	
	SIFAM TINSLAY							ST	0000

Moving Iron AC meter									
Product Code	EQ3C-	X	XX	X	X	X	X	XX	XXXX
Input Type for EQ3C	Current Meter	I							
	Voltage Meter	V							
Measuring range for EQ3C	100mAmps		01						
	250mAmps		02						
	500mAmps		03						
	1Amps		04						
	2Amps		05						
	5Amps		06						
	10Amps		07						
	15Amps		08						
	20Amps		09						
	25Amps		10						
	30Amps		11						
	31Amps		12						
	40Amps		13						
	50Amps		14						
	10Volts		2M						
	15Volts		2A						
	50Volts		2B						
	60Volts		2C						
	100Volts		2L						
	150Volts		2E						
	250Volts		2F						
	300Volts		2G						
	350Volts		2H						
	500Volts		2J						
	600Volts		2K						
Suppression for EQ3C	X1			1					
	X2			2					
	X3			3					
	X5			5					
	X6			6					
	x4			4					
	NA			X					
Accuracy Class for EQ3C	Class - 1.5				1				
	Class - 1.0				2				
Type of Dial for EQ3C	Standard Aluminum					A			
	Aluminum with Colour mark					R			
	With Dual Scale					D			
	Aluminium with colour bands					C			
	Without Dial					X			
	Blank Scale					B			
Background for EQ3C	Black Background						B		
	White background						W		
	NA						X		
Customer Code EQ3C	Blank							0	
	SIFAM TINSLAY							ST	0000

Moving Iron AC meter									
Product Code	EQ4C-	X	XX	X	X	X	X	XX	XXXX
Input Type for EQ4C	Current Meter	I							
	Voltage Meter	V							
Measuring range for EQ4C	100mAmps		01						
	250mAmps		02						
	500mAmps		03						
	1Amps		04						
	2Amps		05						
	5Amps		06						
	10Amps		07						
	15Amps		08						
	20Amps		09						
	25Amps		10						
	30Amps		11						
	31Amps		12						
	40Amps		13						
	50Amps		14						
	10Volts		2M						
	15Volts		2A						
	50Volts		2B						
	60Volts		2C						
	100Volts		2L						
	150Volts		2E						
	250Volts		2F						
	300Volts		2G						
	350Volts		2H						
	500Volts		2J						
	600Volts		2K						
Suppression for EQ4C	X1			1					
	X2			2					
	X3			3					
	X5			5					
	X6			6					
	x4			4					
	NA			X					
Accuracy Class for EQ4C	Class - 1.5				1				
	Class - 1.0				2				
Type of Dial for EQ4C	Standard Aluminum					A			
	Aluminum with Colour mark					R			
	With Dual Scale					D			
	Aluminium with colour bands					C			
	Without Dial					X			
	Blank Scale					B			
Background for EQ4C	Black Background						B		
	White background						W		
	NA						X		
Customer Code EQ4C	Blank							0	
	SIFAM TINSLAY							ST	0000